#19 W. Lawyon 10/21/00





August 15, 2000

TO THE ATTENTION OF MR. GRANT, C. Primary Examiner of Serial Application # 09/135,504

Response to 1. parts (i), (ii), (iii) of the examiner's action dated 07/18/2000 requiring a marked-up copy of the substitute specification filed 03/07/00. In response to this action, I am providing a copy of the substitute specification and a marked up copy showing the edited version as required in 2. (a), (b), (c), (d), (e), (f) e.t.c. under 35 U.S.C. 132. of your detailed action on page 3.

Also, the remedy required on 1. Part (iii) of your detailed action on page 1 has been corrected in accordance with your recommendation as required under 35 U.S. Code 112. See the attached substitute specification, marked-up copy, and a statement of no new matter in the substitute specification of the original specification.

Tap# 763-308-6306 703-308-6306\* Ke: Application/Senal TO PHE ATTENTION OF MR GRANT, C please forward/ Send Copies to Mr. Grant, Christopher Official Symmeny Examiner Group Art - Technology -2711 Shilly Ighinadolor philipped.
Applicant 1919/00

1

I hereby certify that this correspondence is being hand-delivered by an agent of FEDEX in an envelope addressed to:

Crystal Park 11, 2121 Crystal Drive

**Official** 

Arlington, Va, Sixth Floor (Receptionist)

Attention: Mr. Christopher Grant, Primary Examiner

on August 15, 2006

Date August 15, 2000